







M1


Q	Solution	Mark	Notes
1(a).	<div style="text-align: center;">  </div> <p>N2L dim correct equation attempted $T - 2500g = 2500 \times a$ $T = 2500(9.8 + 1.8)$ $T = \underline{29000 \text{ (N)}}$</p>	<p>M1 A1 A1</p>	<p>T, 2500g opposing Any form correct equ. cao</p>
1(b)	<div style="text-align: center;">  </div> <p>N2L attempted $R - Mg = Ma$ $696 = M(9.8 + 1.8)$ $M = \underline{60 \text{ (kg)}}$</p>	<p>M1 A1 A1</p>	<p>R, Mg opposing, no extra forces Any form correct equ. cao</p>


Q	Solution	Mark	Notes
2(a).	<div style="text-align: center;">  </div> <p>Resolve vertically $R = 3g$</p> $F = \mu R = \frac{6}{49} \times 3 \times 9.8$ $F = \underline{3.6 \text{ (N)}}$ <p>N2L $F = ma$ $\pm 3.6 = 3a$ $a = \underline{-1.2 \text{ (ms}^{-2}\text{)}}$</p>	<p>B1</p> <p>B1</p> <p>M1</p> <p>A1</p>	<p>May be implied</p> <p>used</p> <p>needs to see -</p>
2(b)	<p>Using $v^2 = u^2 + 2as$ with $u=9, v=0, a=(-)1.2$</p> $0 = 9^2 + 2 \times (-1.2) s$ $s = \underline{33.75 \text{ (m)}}$	<p>M1</p> <p>A1</p> <p>A1</p>	<p>allow sign errors, oe</p> <p>allow -33.75</p>


Q	Solution	Mark	Notes
3.			
3(a)	<p>Conservation of momentum</p> $6 \times 7 + 2 \times (-3) = 6v_A + 2v_B$ $v_B = 2v_A$ $42 - 6 = 6v_A + 2 \times 2v_A$ $36 = 10v_A$ $v_A = 3.6$ $v_B = \underline{7.2 \text{ (ms}^{-1}\text{)}}$	<p>M1 A1 m1 A1</p>	<p>dim correct equation used</p>
3(b)	<p>Restitution equation</p> $7.2 - 3.6 = -e(-3 - 7)$ $3.6 = 10e$ $e = \underline{0.36}$	<p>M1 A1 A1</p>	<p>attempted, ft c's vs, e on correct side. No more than one sign error. cao</p>
3(c)	$I = 2 \times 7.2 - 2 \times (-3)$ $I = 14.4 + 6$ $I = \underline{20.4 \text{ (Ns)}}$	<p>M1 A1</p>	<p>allow 6(7-3.6) cao</p>


Q	Solution	Mark	Notes
4.	<div style="text-align: center;">  </div> <p>Apply N2L to B $Mg - T = Ma$</p> <p>Apply N2L to A $T - 3g = 3a$</p> <p>Adding</p> $Mg - 3g = 0.4g(M + 3)$ $M - 3 = 0.4M + 1.2$ $0.6M = 4.2$ $M = \underline{7}$ <p>$T = 3 \times 9.8 + 3 \times 0.4 \times 9.8$ $T = \underline{41.16 \text{ (N)}}$</p> <p><u>Alternative solution</u> Apply N2L to A $T - 3g = 3a$ $T = 3(9.8 + 0.4 \times 9.8)$ $T = \underline{41.16 \text{ (N)}}$</p> <p>Apply N2L to B $Mg - T = Ma$ $9.8M - 0.4 \times 9.8M = 41.16$ $5.88M = 41.16$ $M = \underline{7}$</p>	<p>M1 A1</p> <p>M1 A1</p> <p>m1</p> <p>A1</p> <p>A1</p> <p>M1 A1</p> <p>A1</p> <p>M1 A1 m1 A1</p>	<p>dim correct equation</p> <p>dim correct equation</p> <p>correct method. dep on both M's</p> <p>cao</p> <p>cao</p> <p>dim. correct equation</p> <p>cao</p> <p>dim correct equation</p> <p>cao</p>

Q	Solution	Mark	Notes
5.			
5(a)	<p>Resolve perp to plane</p> $R = 39g\cos\alpha$ $R = 39 \times 9.8 \times \frac{12}{13} = 352.8 \text{ N}$ $F = \mu R$ $F = 0.3 \times 352.8$ $F = 105.84 \text{ N}$ <p>N2L down slope</p> $39g\sin\alpha - F = 39a$ $39 \times 9.8 \times \frac{5}{13} - 105.84 = 39a$ $a = 1.0554$ $a = \underline{1.06 \text{ (ms}^{-2}\text{)}}$	<p>M1</p> <p>m1</p> <p>A1</p> <p>M1</p> <p>A1</p> <p>A1</p>	<p>allow sin or cos</p> <p>si</p> <p>dim correct equation, -F</p>
5(b)	<p>N2L up slope</p> $T - 39g\sin\alpha - F = 39a$ $T = 147 + 105.84 + 39 \times 0.4$ $T = \underline{268.44 \text{ (N)}}$	<p>M1</p> <p>A1</p> <p>A1</p>	<p>dim correct equation, all forces, sin/cos, -F</p> <p>cao</p>

Q	Solution	Mark	Notes
6.	 <p data-bbox="336 763 571 837">Resolve vertically $T \sin \alpha = 4g$</p> <p data-bbox="336 875 604 949">Resolve horizontally $T \cos \alpha = 30$</p> <p data-bbox="336 987 560 1104">Dividing $\tan \alpha = \frac{4 \times 9.8}{30}$</p> <p data-bbox="336 1111 517 1144">$\alpha = \underline{52.5(7)^\circ}$</p> <p data-bbox="336 1178 639 1256">$T^2 = (4 \times 9.8)^2 + (30)^2$ $T = \underline{49.36 \text{ (N)}}$</p>	<p data-bbox="914 763 959 837">M1 A1</p> <p data-bbox="914 875 959 949">M1 A1</p> <p data-bbox="914 1043 959 1144">m1 A1</p> <p data-bbox="914 1178 959 1256">m1 A1</p>	<p data-bbox="1011 1043 1225 1256">dep on both M's cao cao</p>

Q	Solution	Mark	Notes
7(a)	Using $v = u + at$ with $u=0$, $a=(\pm)9.8$, $t=5$ $v = 0 + 9.8 \times 5$ $v = \underline{49 \text{ (ms}^{-1}\text{)}}$	M1 A1 A1	accept -49
7(b)	 <p>The graph shows velocity v in ms^{-1} on the vertical axis and time t in s on the horizontal axis. The origin is labeled O. The graph consists of three segments: a straight line from $(0, 0)$ to $(5, 49)$, a straight line from $(5, 49)$ to $(15, 4)$, and a horizontal line from $(15, 4)$ to $(120, 4)$. Dashed lines indicate the coordinates of the key points.</p>	B1 B1 B1 B1	units, labels and correct shape starting $(0,0)$ $(0, 0)$ to $(5, v)$ $(5, v)$ to $(15, 4)$ $(15, 4)$ to $(120, 4)$
7(c)	Distance = Area under graph $\text{Distance} = 0.5 \times 5 \times 49 + 0.5(4 + 49) \times 10 + 105 \times 4$ $\text{Distance} = 122.5 + 265 + 420$ $\text{Distance} = \underline{807.5 \text{ (m)}}$	M1 B1 A1	oe any one correct area, ft graph ft graph

Q	Solution	Mark	Notes
8.			
8(a)	Resolve vertically $R = 5g + 2g$ $R = \underline{7g \text{ (N)}}$	M1 A1	
8(b)	Moments about C $5gx = 2g(1.4 - x)$ $5x = 2.8 - 2x$ $7x = 2.8$ $x = 0.4$ $AC = \underline{0.4 \text{ (m)}}$ <u>Alternative solution</u> Moments about A $7gx = 2g \times 1.4$ $x = \underline{0.4 \text{ (m)}}$	M1 A1 A1 A1 A1 A1 A1 SC1	dim correct equation, no extra forces rhs correct lhs correct cao dim correct equation rhs correct lhs correct cao No marks at all, one correct moment, sc1.

Q	Solution	Mark	Notes																				
9.																							
9(a)	<table border="1" data-bbox="336 891 890 1075"> <thead> <tr> <th></th> <th>Area</th> <th>from AG</th> <th>from AB</th> </tr> </thead> <tbody> <tr> <td>(i)</td> <td>24</td> <td>1</td> <td>6</td> </tr> <tr> <td>(ii)</td> <td>12</td> <td>5</td> <td>1</td> </tr> <tr> <td>(iii)</td> <td>18</td> <td>5</td> <td>4</td> </tr> <tr> <td>Lamina</td> <td>54</td> <td>x</td> <td>y</td> </tr> </tbody> </table> <p data-bbox="336 1108 890 1142">Moments about AG</p> $54x = 24 \times 1 + 12 \times 5 + 18 \times 5$ $x = \frac{29}{9} = 3.22$ <p data-bbox="336 1377 890 1411">Moments about AB</p> $54y = 24 \times 6 + 12 \times 1 + 18 \times 4$ $y = \frac{38}{9} = 4.22$		Area	from AG	from AB	(i)	24	1	6	(ii)	12	5	1	(iii)	18	5	4	Lamina	54	x	y	<p data-bbox="909 929 989 963">B1</p> <p data-bbox="909 974 989 1008">B1</p> <p data-bbox="909 1019 989 1052">B1</p> <p data-bbox="909 1064 989 1097">B1</p> <p data-bbox="909 1108 989 1142">M1</p> <p data-bbox="909 1153 989 1187">A1</p> <p data-bbox="909 1288 989 1321">A1</p> <p data-bbox="909 1377 989 1411">M1</p> <p data-bbox="909 1422 989 1456">A1</p> <p data-bbox="909 1467 989 1500">A1</p>	<p data-bbox="1011 929 1350 963">correct distances</p> <p data-bbox="1011 974 1350 1008">correct distances</p> <p data-bbox="1011 1019 1350 1052">correct distances</p> <p data-bbox="1011 1064 1350 1097">areas all correct</p> <p data-bbox="1011 1153 1350 1254">ft table if 2 or more B marks for distances gained.</p> <p data-bbox="1011 1288 1350 1321">cao</p> <p data-bbox="1011 1422 1350 1456">ft table</p> <p data-bbox="1011 1467 1350 1500">cao</p>
	Area	from AG	from AB																				
(i)	24	1	6																				
(ii)	12	5	1																				
(iii)	18	5	4																				
Lamina	54	x	y																				
9(b)	$\theta = \tan^{-1}\left(\frac{x}{12-y}\right)$ $= \tan^{-1}\left(\frac{29}{12 \times 9 - 38}\right)$ $\theta = \underline{22.5^\circ}$	<p data-bbox="909 1646 989 1680">M1</p> <p data-bbox="909 1747 989 1780">A1</p> <p data-bbox="909 1814 989 1848">A1</p>	<p data-bbox="1011 1646 1350 1680">correct triangle</p> <p data-bbox="1011 1747 1350 1780">correct equation, ft x, y</p> <p data-bbox="1011 1814 1350 1848">ft x and y</p>																				